

**Gleichgewichtsstörungen bei älteren Menschen**

Stefan Schädler, pt-Zeitschrift für Physiotherapeuten 09/2020

**Literaturverzeichnis**

1. Ragnarsdóttir M. The concept of balance. *Physiotherapy*. 1996;82(6):368-75.
2. Horak FB. Chapter 4 - Assumptions Underlying Motor Control for Neurologic Rehabilitation. *Contemporary Management of Motor Control Problems, Proceedings of the II STEP Conference*. 1991:11-27.
3. Horak FB, Henry SM, Shumway-Cook A. Postural perturbations: new insights for treatment of balance disorders. *Phys Ther*. 1997;77(5):517-33. Epub 1997/05/01. PubMed PMID: 9149762.
4. Huber M. Propriozeptives Training–Balancepad–wissen wir wie's wirkt? *physiopraxis*. 2018;16(05):30-1.
5. Fitzpatrick R, McCloskey DI. Proprioceptive, visual and vestibular thresholds for the perception of sway during standing in humans. *J Physiol*. 1994;478 ( Pt 1):173-86. Epub 1994/07/01. PubMed PMID: 7965833; PubMed Central PMCID: PMC1155655.
6. Horak FB, Nashner LM, Diener HC. Postural strategies associated with somatosensory and vestibular loss. *Exp Brain Res*. 1990;82(1):167-77. Epub 1990/01/01. PubMed PMID: 2257901.
7. Kars HJ, Hijmans JM, Geertzen JH, Zijlstra W. The effect of reduced somatosensation on standing balance: a systematic review. *J Diabetes Sci Technol*. 2009;3(4):931-43. Epub 2010/02/11. PubMed PMID: 20144343; PubMed Central PMCID: PMC2769946.
8. Tinetti ME, Williams CS, Gill TM. Dizziness among older adults: a possible geriatric syndrome. *Ann Intern Med*. 2000;132(5):337-44. Epub 2000/02/26. doi: 200003070-00002 [pii]. PubMed PMID: 10691583.
9. Guideline for the prevention of falls in older persons. American Geriatrics Society, British Geriatrics Society, and American Academy of Orthopaedic Surgeons Panel on Falls Prevention. *J Am Geriatr Soc*. 2001;49(5):664-72. Epub 2001/05/31. doi: jgs49115 [pii]. PubMed PMID: 11380764.
10. Iwasaki S, Yamasoba T. Dizziness and Imbalance in the Elderly: Age-related Decline in the Vestibular System. *Aging Dis*. 2015;6(1):38-47. doi: 10.14336/AD.2014.0128. PubMed PMID: 25657851; PubMed Central PMCID: PMC4306472.
11. Hilz MJ, Axelrod FB, Hermann K, Haertl U, Duetsch M, Neundorfer B. Normative values of vibratory perception in 530 children, juveniles and adults aged 3-79 years. *J Neurol Sci*. 1998;159(2):219-25. PubMed PMID: 9741411.
12. Martina IS, van Koningsveld R, Schmitz PI, van der Meche FG, van Doorn PA. Measuring vibration threshold with a graduated tuning fork in normal aging and in patients with polyneuropathy. *European Inflammatory Neuropathy Cause and Treatment (INCAT) group. J Neurol Neurosurg Psychiatry*. 1998;65(5):743-7. PubMed PMID: 9810949.
13. Schädler S. Stumme Füße, periphere Polyneuropathie. *Physiopraxis*. 2015(1):36-9.
14. Giacomini PG, Bruno E, Monticone G, Di Girolamo S, Magrini A, Parisi L, et al. Postural rearrangement in IDDM patients with peripheral neuropathy. *Diabetes Care*. 1996;19(4):372-4. Epub 1996/04/01. PubMed PMID: 8729163.
15. Simmons RW, Richardson C, Pozos R. Postural stability of diabetic patients with and without cutaneous sensory deficit in the foot. *Diabetes Res Clin Pract*. 1997;36(3):153-60. Epub 1997/06/01. doi: S0168-8227(97)00044-2 [pii]. PubMed PMID: 9237781.
16. Meyer PF, Oddsson LI, De Luca CJ. Reduced plantar sensitivity alters postural responses to lateral perturbations of balance. *Exp Brain Res*. 2004;157(4):526-36. Epub 2004/03/19. doi: 10.1007/s00221-004-1868-3. PubMed PMID: 15029466.
17. Igarashi M, Saito R, Mizukoshi K, Alford BR. Otoconia in young and elderly persons: a temporal bone study. *Acta Otolaryngol Suppl*. 1993;504:26-9. PubMed PMID: 8470528.
18. Johnsson LG, Hawkins JE, Jr. Vascular changes in the human inner ear associated with aging. *Ann Otol Rhinol Laryngol*. 1972;81(3):364-76. doi: 10.1177/000348947208100307. PubMed PMID: 4113137.

19. Rauch SD, Velazquez-Villasenor L, Dimitri PS, Merchant SN. Decreasing hair cell counts in aging humans. *Ann N Y Acad Sci.* 2001;942:220-7. doi: 10.1111/j.1749-6632.2001.tb03748.x. PubMed PMID: 11710464.
20. Richter E. Quantitative study of human Scarpa's ganglion and vestibular sensory epithelia. *Acta Otolaryngol.* 1980;90(3-4):199-208. PubMed PMID: 6258381.
21. Merchant SN, Velazquez-Villasenor L, Tsuji K, Glynn RJ, Wall C, 3rd, Rauch SD. Temporal bone studies of the human peripheral vestibular system. Normative vestibular hair cell data. *Ann Otol Rhinol Laryngol Suppl.* 2000;181:3-13. PubMed PMID: 10821229.
22. Iwasaki S, Smulders YE, Burgess AM, McGarvie LA, Macdougall HG, Halmagyi GM, et al. Ocular vestibular evoked myogenic potentials to bone conducted vibration of the midline forehead at Fz in healthy subjects. *Clin Neurophysiol.* 2008;119(9):2135-47. doi: 10.1016/j.clinph.2008.05.028. PubMed PMID: 18639490.
23. Brantberg K, Granath K, Schart N. Age-related changes in vestibular evoked myogenic potentials. *Audiol Neurootol.* 2007;12(4):247-53. doi: 10.1159/000101332. PubMed PMID: 17389791.
24. Agrawal Y, Zuniga MG, Davalos-Bichara M, Schubert MC, Walston JD, Hughes J, et al. Decline in semicircular canal and otolith function with age. *Otol Neurotol.* 2012;33(5):832-9. doi: 10.1097/MAO.0b013e3182545061. PubMed PMID: 22699991; PubMed Central PMCID: PMC3376350.
25. Johkura K, Momoo T, Kuroiwa Y. Positional nystagmus in patients with chronic dizziness. *J Neurol Neurosurg Psychiatry.* 2008;79(12):1324-6. doi: 10.1136/jnnp.2008.147801. PubMed PMID: 18550630.
26. Paige GD. Senescence of human visual-vestibular interactions: smooth pursuit, optokinetic, and vestibular control of eye movements with aging. *Exp Brain Res.* 1994;98(2):355-72. Epub 1994/01/01. PubMed PMID: 8050519.
27. Thömke F. Augenbewegungsstörungen - Ein klinischer Leitfaden für Neurologen. Georg Thieme Verlag. 2008;2., aktualisierte und erweiterte Auflage.
28. Aust G. [The effect of age on vestibulo-ocular reactions]. *Laryngorhinootologie.* 1991;70(3):132-7. Epub 1991/03/01. doi: 10.1055/s-2007-998004. PubMed PMID: 2036147.
29. Kelders WP, Kleinrensink GJ, van der Geest JN, Feenstra L, de Zeeuw CI, Frens MA. Compensatory increase of the cervico-ocular reflex with age in healthy humans. *J Physiol.* 2003;553(Pt 1):311-7. Epub 2003/09/02. doi: 10.1113/jphysiol.2003.049338 jphysiol.2003.049338 [pii]. PubMed PMID: 12949226; PubMed Central PMCID: PMC2343479.
30. Mulch G, Petermann W. Influence of age on results of vestibular function tests. Review of literature and presentation of caloric test results. *Ann Otol Rhinol Laryngol Suppl.* 1979;88(2 Pt 2 Suppl 56):1-17. Epub 1979/03/01. PubMed PMID: 109031.
31. Schädler S. Gleichgewicht und Schwindel, Grundlagen - Untersuchung - Therapie. Elsevier, Urban & Fischer, München. 2016.
32. Maki BE, Edmondstone MA, Mcllroy WE. Age-related differences in laterally directed compensatory stepping behavior. *J Gerontol A Biol Sci Med Sci.* 2000;55(5):M270-7. Epub 2000/05/20. PubMed PMID: 10819317.
33. Mcllroy WE, Maki BE. Age-related changes in compensatory stepping in response to unpredictable perturbations. *J Gerontol A Biol Sci Med Sci.* 1996;51(6):M289-96. Epub 1996/11/01. PubMed PMID: 8914501.
34. Hilliard MJ, Martinez KM, Janssen I, Edwards B, Mille ML, Zhang Y, et al. Lateral balance factors predict future falls in community-living older adults. *Arch Phys Med Rehabil.* 2008;89(9):1708-13. Epub 2008/09/02. doi: 10.1016/j.apmr.2008.01.023 S0003-9993(08)00395-X [pii]. PubMed PMID: 18760155; PubMed Central PMCID: PMC2953551.
35. Legters K. Fear of falling. *Phys Ther.* 2002;82(3):264-72. Epub 2002/03/01. PubMed PMID: 11869155.
36. Schweigart G, Chien RD, Mergner T. Neck proprioception compensates for age-related deterioration of vestibular self-motion perception. *Exp Brain Res.* 2002;147(1):89-97. Epub 2002/10/10. doi: 10.1007/s00221-002-1218-2. PubMed PMID: 12373373.
37. Horak FB, Wrisley DM, Frank J. The Balance Evaluation Systems Test (BESTest) to differentiate balance deficits. *Phys Ther.* 2009;89(5):484-98. Epub 2009/03/31. doi: 10.2522/ptj.20080071 ptj.20080071 [pii]. PubMed PMID: 19329772; PubMed Central PMCID: PMC2676433.

38. Franchignoni F, Horak F, Godi M, Nardone A, Giordano A. Using psychometric techniques to improve the Balance Evaluation Systems Test: the mini-BESTest. *J Rehabil Med*. 2010;42(4):323-31. Epub 2010/05/13. doi: 10.2340/16501977-0537. PubMed PMID: 20461334; PubMed Central PMCID: PMC3228839.
39. Berg K, Wood-Dauphinee S, Williams J, Gayton D. Measuring balance in the elderly preliminary development of an instrument. *Physiotherapy Canada*. 1989(41):304-11.
40. Scherfer E, Bohls C, Freiburger E, Heise KF, Hogan D. Berg-Balance-Scale - deutsche Version; Übersetzung eines Instruments zur Beurteilung von Gleichgewicht und Sturzgefährdung. *physioscience*. 2006;2 Juni:56-66.
41. Shumway-Cook A, Woollacott MH. *Motor Control, Theory and Practical Applications*. Baltimore, Md: Williams & Wilkins. 1995.
42. Wrisley DM, Marchetti GF, Kuharsky DK, Whitney SL. Reliability, internal consistency, and validity of data obtained with the functional gait assessment. *Phys Ther*. 2004;84(10):906-18. Epub 2004/09/29. PubMed PMID: 15449976.
43. Thieme H, Ritschel C, Zange C. Reliability and validity of the functional gait assessment (German version) in subacute stroke patients. *Arch Phys Med Rehabil*. 2009;90(9):1565-70. Epub 2009/09/09. doi: S0003-9993(09)00337-2 [pii] 10.1016/j.apmr.2009.03.007. PubMed PMID: 19735785.
44. Pickenbrock HM, Diel A, Zapf A. A comparison between the Static Balance Test and the Berg Balance Scale: validity, reliability, and comparative resource use. *Clin Rehabil*. 2016;30(3):288-93. doi: 10.1177/0269215515578297. PubMed PMID: 25802425.
45. Shumway-Cook A, Horak FB. Assessing the influence of sensory interaction of balance. Suggestion from the field. *Phys Ther*. 1986;66(10):1548-50. Epub 1986/10/01. PubMed PMID: 3763708.
46. Vereeck L, Wuyts F, Truijien S, Van de Heyning P. Clinical assessment of balance: normative data, and gender and age effects. *Int J Audiol*. 2008;47(2):67-75. Epub 2008/02/01. doi: 10.1080/14992020701689688 790123252 [pii]. PubMed PMID: 18236239.
47. Steffen TM, Hacker TA, Mollinger L. Age- and gender-related test performance in community-dwelling elderly people: Six-Minute Walk Test, Berg Balance Scale, Timed Up & Go Test, and gait speeds. *Phys Ther*. 2002;82(2):128-37. doi: 10.1093/ptj/82.2.128. PubMed PMID: 11856064.
48. Walker ML, Austin AG, Banke GM, Foxx SR, Gaetano L, Gardner LA, et al. Reference group data for the functional gait assessment. *Phys Ther*. 2007;87(11):1468-77. Epub 2007/09/06. doi: ptj.20060344 [pii] 10.2522/ptj.20060344. PubMed PMID: 17785375.
49. Society AGSaBG. Summary of the Updated American Geriatrics Society/British Geriatrics Society clinical practice guideline for prevention of falls in older persons. *J Am Geriatr Soc*. 2011;59(1):148-57. Epub 2011/01/14. doi: 10.1111/j.1532-5415.2010.03234.x. PubMed PMID: 21226685.
50. Schädler S. *Ratgeber Schwindel*. Elsevier, Urban & Fischer, München. 2019.
51. Silsupadol P, Shumway-Cook A, Lugade V, van Donkelaar P, Chou LS, Mayr U, et al. Effects of single-task versus dual-task training on balance performance in older adults: a double-blind, randomized controlled trial. *Arch Phys Med Rehabil*. 2009;90(3):381-7. Epub 2009/03/04. doi: 10.1016/j.apmr.2008.09.559 S0003-9993(08)01675-4 [pii]. PubMed PMID: 19254600; PubMed Central PMCID: PMC2768031.
52. Jauregui-Renaud K, Villanueva Padron LA, Cruz Gomez NS. The effect of vestibular rehabilitation supplemented by training of the breathing rhythm or proprioception exercises, in patients with chronic peripheral vestibular disease. *J Vestib Res*. 2007;17(1):63-72. Epub 2008/01/26. PubMed PMID: 18219105.
53. Cawthorne T. The physiological basis for head exercises. *J Chart Soc Physiother*. 1944;29:106e 7.
54. Cooksey FS. *Physical medicine. Practitioner* 1945;155:300e 5.
55. Johansson M, Akerlund D, Larsen HC, Andersson G. Randomized controlled trial of vestibular rehabilitation combined with cognitive-behavioral therapy for dizziness in older people. *Otolaryngol Head Neck Surg*. 2001;125(3):151-6. Epub 2001/09/14. doi: S0194-5998(01)72372-8 [pii] 10.1067/mhn.2001.118127. PubMed PMID: 11555746.