

Literaturliste

Fragner, S., Schwaller, S., & Schädler, S. (2025). Schluss mit der Schwindelei - Moderne Diagnostik bei vestibulärer Hypofunktion. *Pt Zeitschrift für Physiotherapeuten*, 77(06), 19-23.

1. Jorns-Haderli M, Straumann D, Palla A. Accuracy of the bedside head impulse test in detecting vestibular hypofunction. *J Neurol Neurosurg Psychiatry*. 2007;78(10):1113-8. doi: 10.1136/jnnp.2006.109512. PubMed PMID: 17220287; PubMed Central PMCID: PMC2117540.
2. Yip CW, Glaser M, Frenzel C, Bayer O, Strupp M. Comparison of the Bedside Head-Impulse Test with the Video Head-Impulse Test in a Clinical Practice Setting: A Prospective Study of 500 Outpatients. *Front Neurol*. 2016;7:58. doi: 10.3389/fneur.2016.00058. PubMed PMID: 27148159; PubMed Central PMCID: PMC4837142.
3. Dannenbaum E, Paquet N, Hakim-Zadeh R, Feldman AG. Optimal parameters for the clinical test of dynamic visual acuity in patients with a unilateral vestibular deficit. *J Otolaryngol*. 2005;34(1):13-9. doi: 10.2310/7070.2005.03105. PubMed PMID: 15966470.
4. Kuipers-Upmeyer J, Oosterhuis HJ. [Unterberger's test not useful in testing of vestibular function]. *Ned Tijdschr Geneesk*. 1994;138(3):136-9. Epub 1994/01/15. PubMed PMID: 8295639.
5. Hickey SA, Ford GR, Buckley JG, Fitzgerald O'Connor AF. Unterberger stepping test: a useful indicator of peripheral vestibular dysfunction? *J Laryngol Otol*. 1990;104(8):599-602. Epub 1990/08/01. PubMed PMID: 2230549.
6. Honaker JA, Boismier TE, Shepard NP, Shepard NT. Fukuda stepping test: sensitivity and specificity. *J Am Acad Audiol*. 2009;20(5):311-4; quiz 35. doi: 10.3766/jaaa.20.5.4. PubMed PMID: 19585961.
7. VestibularEDGE. <https://www.sralab.org/rehabilitation-measures/fukuda-stepping-test-unterberger-step-test>.
8. Schädler S, Kool J, Lüthi H, Marks D, Oesch P, Pfeffer A, et al. Assessments in der Rehabilitation - Band 1: Neurologie. Hogrefe-Verlag. 2019;4. überarbeitete und erweiterte Auflage.
9. Fragner S, Schwaller S. Vergleich Kopfschütteltest und Drehstuhltest bei unilateralen peripheren vestibulären Defiziten - Ein Review mit Praxisempfehlung: Berner Fachhochschule; 2024.
10. Jacobson GP, Newman CW, Safadi I. Sensitivity and specificity of the head-shaking test for detecting vestibular system abnormalities. *Ann Otol Rhinol Laryngol*. 1990;99(7 Pt 1):539-42. doi: 10.1177/000348949009900708. PubMed PMID: 2195962.
11. Burgio DL, Blakley BW, Myers SF. An evaluation of the head-shaking nystagmus test. *Otolaryngol Head Neck Surg*. 1991;105(5):708-13. doi: 10.1177/019459989110500512. PubMed PMID: 1754255.
12. Walther LE, Hormann K, Bloching M, Blodow A. [Receptor function of the semicircular canals: Part 1: anatomy, physiology, diagnosis and normal findings]. *HNO*. 2012;60(1):75-87; quiz 8. doi: 10.1007/s00106-011-2434-5. PubMed PMID: 22282014.
13. Schädler S. Gleichgewicht und Schwindel, Grundlagen - Untersuchung - Therapie. Elsevier, Urban & Fischer, München. 2022;2. Auflage.
14. Asawavichiangianda S, Fujimoto M, Mai M, Desroches H, Rutka J. Significance of head-shaking nystagmus in the evaluation of the dizzy patient. *Acta Otolaryngol Suppl*. 1999;540:27-33. PubMed PMID: 10445075.
15. Perez P, Llorente JL, Gomez JR, Del Campo A, Lopez A, Suarez C. Functional significance of peripheral head-shaking nystagmus. *Laryngoscope*. 2004;114(6):1078-84. doi: 10.1097/00005537-200406000-00023. PubMed PMID: 15179217.
16. Kamei T. Two types of head-shaking tests in vestibular examination. *Acta Otolaryngol Suppl*. 1988;458:108-12. doi: 10.3109/00016488809125112. PubMed PMID: 3245416.
17. Reiß M, Reiß G. Gleichgewichtsdagnostik: Videonystagmographie und neue Untersuchungsmethoden: Springer-Verlag; 2015.
18. Angeli SI, Velandia S, Snapp H. Head-shaking nystagmus predicts greater disability in unilateral peripheral vestibulopathy. *Am J Otolaryngol*. 2011;32(6):522-7. Epub 20110208. doi: 10.1016/j.amjoto.2010.11.004. PubMed PMID: 21306790.
19. Sun H, Wang Y, Jiang H, Gao Z, Wu H. The clinical application of head-shaking test combined with head-shaking tilt suppression test in distinguishing between peripheral and central vertigo at bedside vs. examination room. *Braz J Otorhinolaryngol*. 2022;88 Suppl 3(Suppl 3):S177-S84. Epub 20220520. doi: 10.1016/j.bjorl.2022.03.003. PubMed PMID: 35760753; PubMed Central PMCID: PMC9760989.

20. Zalewski C, McCaslin DL, Carlson ML. Rotary Chair Testing. In S. Babu, C. A. Schutt, & D. I. Bojrab (Hrsg.), *Diagnosis and Treatment of Vestibular Disorders* (S. Springer International Publishing. 2019:75-98.
21. Goebel JA, Isipradit P, Hanson JM. Manual rotational testing of the vestibulo-ocular reflex. *Laryngoscope*. 2000;110(4):517-35. doi: 10.1097/00005537-200004000-00004. PubMed PMID: 10763996.
22. Maes L, Vinck BM, Wuyts F, D'Haenens W, Bockstael A, Keppler H, et al. Clinical usefulness of the rotatory, caloric, and vestibular evoked myogenic potential test in unilateral peripheral vestibular pathologies. *Int J Audiol*. 2011;50(8):566-76. doi: 10.3109/14992027.2011.576706. PubMed PMID: 21751944.
23. Lacour M, Tardivet L, Thiry A. Rehabilitation of balance control with the rotatory chair protocol depends on rehabilitation onset and postural task difficulty in unilateral vestibular hypofunction patients. *Journal of Rehabilitation Therapy*. 2020;2(2).
24. Eza-Nunez P, Farinas-Alvarez C, Fernandez NP. Comparison of three diagnostic tests in detecting vestibular deficit in patients with peripheral vestibulopathy. *J Laryngol Otol*. 2016;130(2):145-50. Epub 20151216. doi: 10.1017/S0022215115003114. PubMed PMID: 26669638.
25. Baloh RW, Sills AW, Honrubia V. Impulsive and sinusoidal rotatory testing: a comparison with results of caloric testing. *Laryngoscope*. 1979;89(4):646-54. doi: 10.1288/00005537-197904000-00013. PubMed PMID: 431264.
26. Wolfe JW, Engelken EJ, Kos CM. Low-frequency harmonic acceleration as a test of labyrinthine function: basic methods and illustrative cases. *Otolaryngology*. 1978;86(1):ORL-130-42. doi: 10.1177/019459987808600132. PubMed PMID: 114912.
27. Jenkins HA, Goldberg J. Test-retest reliability of the rotatory test in normal subjects. *Adv Otorhinolaryngol*. 1988;41:190-5. doi: 10.1159/000416055. PubMed PMID: 3213699.
28. Palomar-Asenjo V, Boleas-Aguirre MS, Sanchez-Ferrandiz N, Perez Fernandez N. Caloric and rotatory chair test results in patients with Meniere's disease. *Otol Neurotol*. 2006;27(7):945-50. doi: 10.1097/01.mao.0000231593.03090.23. PubMed PMID: 17006345.
29. Ahmed MF, Goebel JA, Sinks BC. Caloric Test Versus Rotational Sinusoidal Harmonic Acceleration and Step-Velocity Tests in Patients With and Without Suspected Peripheral Vestibulopathy. *Otology & Neurotology*. 2009;30(6):800-5. doi: 10.1097/MAO.0b013e3181b0d02d. PubMed PMID: 00129492-200909000-00020.
30. Ahmed MF. Rotational chair testing in patients with unilateral peripheral vestibular disorders. *The Egyptian Journal of Otolaryngology*. 2015;31:115-21.
31. Bronstein AM, Patel M, Arshad Q. A brief review of the clinical anatomy of the vestibular-ocular connections-how much do we know? *Eye (Lond)*. 2015;29(2):163-70. Epub 20141121. doi: 10.1038/eye.2014.262. PubMed PMID: 25412719; PubMed Central PMCID: PMC4330278.
32. Fattahi CB, Zaro C, Chung JJ, Lewis RF, Chari DA. Comparative utility of vestibular function tests in patients with peripheral and central vestibular dysfunction. *J Otol*. 2024;19(1):5-9. Epub 20231103. doi: 10.1016/j.joto.2023.10.002. PubMed PMID: 38313756; PubMed Central PMCID: PMC10837540.
33. Arriaga MA, Chen DA, Cenci KA. Rotational chair (ROTO) instead of electronystagmography (ENG) as the primary vestibular test. *Otolaryngol Head Neck Surg*. 2005;133(3):329-33. doi: 10.1016/j.otohns.2005.05.002. PubMed PMID: 16143176.
34. Priebe JA. Wie man gute von schlechten Tests unterscheidet. *Testkonstruktion – das Herz der psychologischen Diagnostik: Von Gütekriterien, lokaler stochastischer Unabhängigkeit, Normen und dem IQ*. Berlin, Heidelberg: Springer Berlin Heidelberg; 2024. p. 11-32.