

# Den Dreh raus – Befund- und evidenzbasierte Schwindeltherapie

Stefan Schädler, pt-Zeitschrift, 10/2025

## Literatur

1. DGN/ÖGN. Leitlinien Schwindel - Therapie. Österreichische Gesellschaft für Neurologie, Deutsche Gesellschaft für Neurologie. 2008;Kap. 052:1-30.
2. Davis A, Moorjani P. The epidemiology of hearing and balance disorders. In: Luxon ML, Furmann IM, Martini A, Stephens D, eds Textbook of audiological medicine London: Martin Dunitz. 2003::89- 99.
3. Neuhauser HK. The epidemiology of dizziness and vertigo. Handb Clin Neurol. 2016;137:67-82. doi: 10.1016/B978-0-444-63437-5.00005-4. PubMed PMID: 27638063.
4. DGN/ÖGN. Leitlinien Schwindel - Diagnostik. Österreichische Gesellschaft für Neurologie, Deutsche Gesellschaft für Neurologie. 2015;Kap. 051:1-26.
5. Huber M. Propriozeptives Training–Balancepad–wissen wir wie's wirkt? physiopraxis. 2018;16(05):30-1.
6. Wenzel R, Bartenstein P, Dieterich M, Danek A, Weindl A, Minoshima S, et al. Deactivation of human visual cortex during involuntary ocular oscillations. A PET activation study. Brain. 1996;119 ( Pt 1):101-10. Epub 1996/02/01. PubMed PMID: 8624674.
7. Bense S, Stephan T, Yousry TA, Brandt T, Dieterich M. Multisensory cortical signal increases and decreases during vestibular galvanic stimulation (fMRI). J Neurophysiol. 2001;85(2):886-99. Epub 2001/02/13. PubMed PMID: 11160520.
8. Brandt T, Bartenstein P, Janek A, Dieterich M. Reciprocal inhibitory visual-vestibular interaction. Visual motion stimulation deactivates the parieto-insular vestibular cortex. Brain. 1998;121 ( Pt 9):1749-58. Epub 1998/10/08. PubMed PMID: 9762962.
9. Bense S, Bartenstein P, Lochmann M, Schlindwein P, Brandt T, Dieterich M. Metabolic changes in vestibular and visual cortices in acute vestibular neuritis. Ann Neurol. 2004;56(5):624-30. Epub 2004/09/28. doi: 10.1002/ana.20244. PubMed PMID: 15449325.
10. Dieterich M, Bucher SF, Seelos KC, Brandt T. Horizontal or vertical optokinetic stimulation activates visual motion-sensitive, ocular motor and vestibular cortex areas with right hemispheric dominance. An fMRI study. Brain. 1998;121 ( Pt 8):1479-95. Epub 1998/08/26. PubMed PMID: 9712010.
11. Deutschlander A, Bense S, Stephan T, Schwaiger M, Brandt T, Dieterich M. Sensory system interactions during simultaneous vestibular and visual stimulation in PET. Hum Brain Mapp. 2002;16(2):92-103. Epub 2002/04/16. doi: 10.1002/hbm.10030 [pii]. PubMed PMID: 11954059.
12. Dieterich M. Veränderungen im Kortex nach peripher- und zentral-vestibulären Läsionen, Kapitel4. in: Gleichgewichtssinn: Neues aus Forschung und Klinik 6 Hennig Symposium; Springer-Verlag. 2008:117-23.
13. Schädler S. Gleichgewicht und Schwindel, Grundlagen - Untersuchung - Therapie. Elsevier, Urban & Fischer, München. 2016.
14. Bisdorff A. [The Barany Classification of vestibular disorders, its clinical implementation and future prospects]. HNO. 2020;68(5):304-12. doi: 10.1007/s00106-020-00847-8. PubMed PMID: 32193582.
15. Strupp M, Dlugacz J, Ertl-Wagner BB, Rujescu D, Westhofen M, Dieterich M. Vestibular Disorders. Dtsch Arztebl Int. 2020;117(17):300-10. doi: 10.3238/arztebl.2020.0300. PubMed PMID: 32530417; PubMed Central PMCID: PMC7297064.
16. Wassermann A, Finn S, Axer H. Age-Associated Characteristics of Patients With Chronic Dizziness and Vertigo. J Geriatr Psychiatry Neurol. 2021;8919887211036185. doi: 10.1177/08919887211036185. PubMed PMID: 34338064.
17. Obermann M, Bock E, Sabev N, Lehmann N, Weber R, Gerwig M, et al. Long-term outcome of vertigo and dizziness associated disorders following treatment in specialized tertiary care: the Dizziness and Vertigo Registry (DiVer) Study. J Neurol. 2015;262(9):2083-91. doi: 10.1007/s00415-015-7803-7. PubMed PMID: 26092518.
18. Royle G, Ploner CJ, Leithner C. Dizziness in the emergency room: diagnoses and misdiagnoses. Eur Neurol. 2011;66(5):256-63. doi: 10.1159/000331046. PubMed PMID: 21986277.
19. Comolli L, Goeldlin M, Gaschen J, Kammer C, Sauter TC, Caversaccio MD, et al. [Dizziness and vertigo in a tertiary ENT emergency department]. HNO. 2020;68(10):763-72. doi: 10.1007/s00106-020-00857-6. PubMed PMID: 32221628.
20. Strupp MB, T. Dieterich, M. Vertigo - Leitsymptom Schwindel. Springer Medizin Verlag Heidelberg. 2022(3. Auflage).
21. Bronstein AM, Patel M, Arshad Q. A brief review of the clinical anatomy of the vestibular-ocular connections-how much do we know? Eye (Lond). 2014. Epub 2014/11/22. doi: 10.1038/eye.2014.262 eye2014262 [pii]. PubMed PMID: 25412719.
22. Vereeck L, Wuyts FL, Truijens S, De Valck C, Van de Heyning PH. The effect of early customized vestibular rehabilitation on balance after acoustic neuroma resection. Clin Rehabil. 2008;22(8):698-713. Epub 2008/08/06. doi: 10.1177/0269215508089066 22/8/698 [pii]. PubMed PMID: 18678570.
23. Iwasaki S, Yamasoba T. Dizziness and Imbalance in the Elderly: Age-related Decline in the Vestibular System. Aging Dis. 2015;6(1):38-47. doi: 10.14336/AD.2014.0128. PubMed PMID: 25657851; PubMed Central PMCID: PMC4306472.
24. Mansfield A, Wong JS, Bryce J, Knorr S, Patterson KK. Does perturbation-based balance training prevent falls? Systematic review and meta-analysis of preliminary randomized controlled trials. Phys Ther. 2015;95(5):700-9. Epub 2014/12/20. doi: 10.2522/ptj.20140090 ptj.20140090 [pii]. PubMed PMID: 25524873.
25. Marigold DS, Eng JJ, Dawson AS, Inglis JT, Harris JE, Gylfadottir S. Exercise leads to faster postural reflexes, improved balance and mobility, and fewer falls in older persons with chronic stroke. J Am Geriatr Soc. 2005;53(3):416-23. Epub

- 2005/03/04. doi: JGS53158 [pii] 10.1111/j.1532-5415.2005.53158.x. PubMed PMID: 15743283; PubMed Central PMCID: 3226796.
26. Schädler S. Gleichgewicht und Schwindel, Grundlagen - Untersuchung - Therapie. Elsevier, Urban & Fischer, München, 2. Auflage 2022.
  27. Fernández L, Breinbauer HA, Delano PH. Vertigo and dizziness in the elderly. *Frontiers in neurology*. 2015;6:144.
  28. Tjernstrom F, Zur O, Jahn K. Current concepts and future approaches to vestibular rehabilitation. *J Neurol*. 2016;263 Suppl 1:S65-70. doi: 10.1007/s00415-015-7914-1. PubMed PMID: 27083886; PubMed Central PMCID: PMC4833789.
  29. Whitney SL, Alghwiri AA, Alghadir A. An overview of vestibular rehabilitation. *Handb Clin Neurol*. 2016;137:187-205. doi: 10.1016/B978-0-444-63437-5.00013-3. PubMed PMID: 27638071.
  30. Jacobson GP, Newman CW. The development of the Dizziness Handicap Inventory. *Arch Otolaryngol Head Neck Surg*. 1990;116(4):424-7. Epub 1990/04/01. PubMed PMID: 2317323.
  31. Kurre A, van Gool CJ, Bastiaenen CH, Gloor-Juzi T, Straumann D, de Bruin ED. Translation, cross-cultural adaptation and reliability of the german version of the dizziness handicap inventory. *Otol Neurotol*. 2009;30(3):359-67. Epub 2009/02/20. doi: 10.1097/MAO.0b013e3181977e09. PubMed PMID: 19225437.
  32. Whitney SL, Marchetti GF, Morris LO. Usefulness of the dizziness handicap inventory in the screening for benign paroxysmal positional vertigo. *Otol Neurotol*. 2005;26(5):1027-33. doi: 10.1097/01.mao.0000185066.04834.4e. PubMed PMID: 16151354.
  33. Reid SA, Callister R, Katekar MG, Treleven JM. Utility of a brief assessment tool developed from the Dizziness Handicap Inventory to screen for Cervicogenic dizziness: A case control study. *Musculoskelet Sci Pract*. 2017;30:42-8. doi: 10.1016/j.msksp.2017.03.008. PubMed PMID: 28521181.
  34. Newman-Toker DE, Cannon LM, Stofferahn ME, Rothman RE, Hsieh YH, Zee DS. Imprecision in patient reports of dizziness symptom quality: a cross-sectional study conducted in an acute care setting. *Mayo Clin Proc*. 2007;82(11):1329-40. doi: 10.4065/82.11.1329. PubMed PMID: 17976352.
  35. Stanton VA, Hsieh YH, Camargo CA, Jr., Edlow JA, Lovett PB, Goldstein JN, et al. Overreliance on symptom quality in diagnosing dizziness: results of a multicenter survey of emergency physicians. *Mayo Clin Proc*. 2007;82(11):1319-28. doi: 10.4065/82.11.1319. PubMed PMID: 17976351.
  36. Kim HA, Yi HA, Lee H. Recent advances in orthostatic hypotension presenting orthostatic dizziness or vertigo. *Neurol Sci*. 2015;36(11):1995-2002. doi: 10.1007/s10072-015-2363-2. PubMed PMID: 26292788.
  37. Gerb J, Brandt T, Dieterich M. Unreliable association between self-reported sense of direction and peripheral vestibular function. *Brain Behav*. 2024;14(9):e70000. doi: 10.1002/brb3.70000. PubMed PMID: 39245964; PubMed Central PMCID: PMC11381552.
  38. Shumway-Cook A, Horak FB. Assessing the influence of sensory interaction of balance. Suggestion from the field. *Phys Ther*. 1986;66(10):1548-50. Epub 1986/10/01. PubMed PMID: 3763708.
  39. Schädler S. Sensorische Systeme im Gleichgewicht – Clinical Test for Sensory Interaction in Balance. *pt Zeitschrift für Physiotherapeuten*. 2019;71(3):36-41.
  40. Shumway-Cook A, Woollacott MH. *Motor Control, Theory and Practical Applications*. Baltimore, Md: Williams & Wilkins. 1995.
  41. Thieme H, Ritschel C, Zange C. Reliability and validity of the functional gait assessment (German version) in subacute stroke patients. *Arch Phys Med Rehabil*. 2009;90(9):1565-70. Epub 2009/09/09. doi: S0003-9993(09)00337-2 [pii] 10.1016/j.apmr.2009.03.007. PubMed PMID: 19735785.
  42. Schädler S. Der Body Roll-Test – ein neuer Test für den BPLS des horizontalen Bogenganges. *pt Zeitschrift für Physiotherapeuten*. 2023;75(1):34-7.
  43. McDonnell MN, Hillier SL. Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. *Cochrane Database Syst Rev*. 2015;1:CD005397. doi: 10.1002/14651858.CD005397.pub4. PubMed PMID: 25581507.
  44. Hilton M, Pinder D. The Epley (canalith repositioning) manoeuvre for benign paroxysmal positional vertigo. *Cochrane Database Syst Rev*. 2012(6):CD003162.pub2. Epub 2004/04/24. doi: 10.1002/14651858.CD003162.pub2. PubMed PMID: 15106194.
  45. van den Broek EM, van der Zaag-Loonen HJ, Brintjes TD. Systematic Review: Efficacy of Gufoni Maneuver for Treatment of Lateral Canal Benign Paroxysmal Positional Vertigo with Geotropic Nystagmus. *Otolaryngol Head Neck Surg*. 2014;150(6):933-8. doi: 10.1177/0194599814525919. PubMed PMID: 24627409.
  46. Alashram AR. Effectiveness of brandt-daroff exercises in the treatment of benign paroxysmal positional vertigo: a systematic review of randomized controlled trials. *Eur Arch Otorhinolaryngol*. 2024;281(7):3371-84. doi: 10.1007/s00405-024-08502-6. PubMed PMID: 38341824.
  47. Regauer V, Seckler E, Muller M, Bauer P. Physical therapy interventions for older people with vertigo, dizziness and balance disorders addressing mobility and participation: a systematic review. *BMC Geriatr*. 2020;20(1):494. doi: 10.1186/s12877-020-01899-9. PubMed PMID: 33228601; PubMed Central PMCID: PMC7684969.
  48. Alashram AR. Effects of Cawthorne-Cooksey exercises on vestibular symptoms: A systematic review of randomized controlled trials. *J Bodyw Mov Ther*. 2024;39:132-41. Epub 20240306. doi: 10.1016/j.jbmt.2024.02.026. PubMed PMID: 38876618.
  49. Asif I, Mazhar K, Afreen S, Tauseef K, Tauseef S. An investigation on the effects of Cawthorne Cooksey exercises on both vestibular and non-vestibular balance issues: A Systematic Review of Rehabilitative Services for the Elderly. *Asia Pacific Journal of Allied Health Sciences* | Volume. 2022;5(1).
  50. Bisdorff A, Von Brevern M, Lempert T, Newman-Toker DE. Classification of vestibular symptoms: towards an international classification of vestibular disorders. *J Vestib Res*. 2009;19(1-2):1-13. doi: 10.3233/VES-2009-0343. PubMed PMID: 19893191.

51. Staab JP, Eckhardt-Henn A, Horii A, Jacob R, Strupp M, Brandt T, et al. Diagnostic criteria for persistent postural-perceptual dizziness (PPPD): Consensus document of the committee for the Classification of Vestibular Disorders of the Bárány Society. *J Vestib Res.* 2017;27(4):191-208. doi: 10.3233/VES-170622. PubMed PMID: 29036855.
52. Paige GD. Senescence of human visual-vestibular interactions: smooth pursuit, optokinetic, and vestibular control of eye movements with aging. *Exp Brain Res.* 1994;98(2):355-72. Epub 1994/01/01. PubMed PMID: 8050519.
53. Thömke F. Augenbewegungsstörungen - Ein klinischer Leitfaden für Neurologen. Georg Thieme Verlag. 2008;2., aktualisierte und erweiterte Auflage.
54. Aust G. [The effect of age on vestibulo-ocular reactions]. *Laryngorhinootologie.* 1991;70(3):132-7. Epub 1991/03/01. doi: 10.1055/s-2007-998004. PubMed PMID: 2036147.
55. Kelders WP, Kleinrensink GJ, van der Geest JN, Feenstra L, de Zeeuw CI, Frens MA. Compensatory increase of the cervico-ocular reflex with age in healthy humans. *J Physiol.* 2003;553(Pt 1):311-7. Epub 2003/09/02. doi: 10.1113/jphysiol.2003.049338 jphysiol.2003.049338 [pii]. PubMed PMID: 12949226; PubMed Central PMCID: 2343479.
56. von Piekartz-Doppelhofer D, von Piekartz H, Hengeveld E. Okuläre Dysfunktionen bei WAD: Behandlungsmöglichkeiten und Effekte neuromuskuloskelettaler Therapie. *Manuelle Therapie.* 2012;16:42-51.
57. Law JH, Koh HY, Kua A. Optokinetic stimulation in the rehabilitation of visually induced dizziness in people with vestibular disorders: A systematic review. *Clin Rehabil.* 2024;38(8):1001-22. Epub 20240407. doi: 10.1177/02692155241244932. PubMed PMID: 38584422.
58. Schädler S. Test der langsamen Blickfolge. *pt Zeitschrift für Physiotherapeuten.* 2019;71(2):28-30.
59. Schädler S. Testung des optokinetischen Reflexes. *pt Zeitschrift für Physiotherapeuten.* 2019;71(4):32-4.
60. Obrero-Gaitan E, Sedenio-Vidal A, Peinado-Rubia AB, Cortes-Perez I, Ibanez-Vera AJ, Lomas-Vega R. Optokinetic stimulation for the treatment of vestibular and balance disorders: a systematic review with meta-analysis. *Eur Arch Otorhinolaryngol.* 2024;281(9):4473-84. Epub 20240405. doi: 10.1007/s00405-024-08604-1. PubMed PMID: 38578505; PubMed Central PMCID: PMC11393151.
61. Dai M, Cohen B, Cho C, Shin S, Yakushin SB. Treatment of the Mal de Debarquement Syndrome: A 1-Year Follow-up. *Front Neurol.* 2017;8:175. doi: 10.3389/fneur.2017.00175. PubMed PMID: 28529496; PubMed Central PMCID: PMC5418223.
62. Mucci V, Perkisas T, Jillings SD, Van Rompaey V, Van Ombergen A, Fransen E, et al. Sham-Controlled Study of Optokinetic Stimuli as Treatment for Mal de Debarquement Syndrome. *Front Neurol.* 2018;9:887. doi: 10.3389/fneur.2018.00887. PubMed PMID: 30410464; PubMed Central PMCID: PMC6210740.
63. Schädler S. Schwindel in Supermarkt und Menschenmengen - Fallbeispiel zu den Effekten eines optokinetischen Trainings *pt Zeitschrift für Physiotherapeuten.* 2020;72(8):42-5.
64. Schädler S. Der Einfluss eines optokinetischen Trainings auf Schwindel im Supermarkt, in Menschenmengen und durch visuelle Reize – eine Fallbeschreibung *Forum HNO.* 2021;23(2):112-6.
65. Schädler S. Assessment: 128 Hertz: Stimmgabeltest. *physiopraxis.* 2012(6):42-3.
66. Goble DJ, Coxon JP, Van Impe A, Geurts M, Doumas M, Wenderoth N, et al. Brain activity during ankle proprioceptive stimulation predicts balance performance in young and older adults. *J Neurosci.* 2011;31(45):16344-52. Epub 2011/11/11. doi: 10.1523/JNEUROSCI.4159-11.2011. PubMed PMID: 22072686.
67. Magnusson M, Johansson K, Johansson BB. Sensory stimulation promotes normalization of postural control after stroke. *Stroke.* 1994;25(6):1176-80. Epub 1994/06/01. PubMed PMID: 8202976.
68. Jauregui-Renaud K, Villanueva Padron LA, Cruz Gomez NS. The effect of vestibular rehabilitation supplemented by training of the breathing rhythm or proprioception exercises, in patients with chronic peripheral vestibular disease. *J Vestib Res.* 2007;17(1):63-72. Epub 2008/01/26. PubMed PMID: 18219105.
69. Hartmann P, Mohokum M, Sitter H, Wolf U. Wirkung von stochastischer Resonanztherapie bei Patienten mit peripherer Neuropathie - Randomisierte klinische Studie. *physioscience.* 2011;7:6-13.
70. Shariff S, Coronado RA, Romero S, Azari H, Thigpen M. The effects of whole body vibration on mobility and balance in Parkinson disease: a systematic review. *Iran J Med Sci.* 2014;39(4):318-26. Epub 2014/07/18. PubMed PMID: 25031483; PubMed Central PMCID: 4100042.
71. Horak FB, Wrisley DM, Frank J. The Balance Evaluation Systems Test (BESTest) to differentiate balance deficits. *Phys Ther.* 2009;89(5):484-98. Epub 2009/03/31. doi: 10.2522/ptj.20080071 ptj.20080071 [pii]. PubMed PMID: 19329772; PubMed Central PMCID: 2676433.
72. Scherfer E, Bohls C, Freiburger E, Heise KF, Hogan D. Berg-Balance-Scale - deutsche Version; Übersetzung eines Instruments zur Beurteilung von Gleichgewicht und Sturzgefährdung. *physioscience.* 2006;2 Juni:56-66.
73. Franchignoni F, Horak F, Godi M, Nardone A, Giordano A. Using psychometric techniques to improve the Balance Evaluation Systems Test: the mini-BESTest. *J Rehabil Med.* 2010;42(4):323-31. Epub 2010/05/13. doi: 10.2340/16501977-0537. PubMed PMID: 20461334; PubMed Central PMCID: 3228839.
74. Schädler S. Gleichgewichtsstörungen bei älteren Menschen. *pt Zeitschrift für Physiotherapeuten.* 2020;72(9):27-32.
75. Yacovino DA, Hain TC. Clinical characteristics of cervicogenic-related dizziness and vertigo. *Semin Neurol.* 2013;33(3):244-55. doi: 10.1055/s-0033-1354592. PubMed PMID: 24057828.
76. Taylor JL, McCloskey DI. Illusions of head and visual target displacement induced by vibration of neck muscles. *Brain.* 1991;114 ( Pt 2):755-9. doi: 10.1093/brain/114.2.755. PubMed PMID: 2043947.
77. Strupp M, Arbusow V, Dieterich M, Sautier W, Brandt T. Perceptual and oculomotor effects of neck muscle vibration in vestibular neuritis. Ipsilateral somatosensory substitution of vestibular function. *Brain.* 1998;121 ( Pt 4):677-85. Epub 1998/05/13. PubMed PMID: 9577393.

78. Lennerstrand G, Han Y, Velay JL. Properties of eye movements induced by activation of neck muscle proprioceptors. *Graefes Arch Clin Exp Ophthalmol*. 1996;234(11):703-9. Epub 1996/11/01. PubMed PMID: 8950591.
79. Gdowski GT, Belton T, McCrea RA. The neurophysiological substrate for the cervico-ocular reflex in the squirrel monkey. *Exp Brain Res*. 2001;140(3):253-64. Epub 2001/10/30. PubMed PMID: 11681301.
80. de Graaf B, Bekkering H, Erasmus C, Bles W. Influence of visual, vestibular, cervical, and somatosensory tilt information on ocular rotation and perception of the horizontal. *J Vestib Res*. 1992;2(1):15-30. PubMed PMID: 1342382.
81. Bles W, de Graaf B. Ocular rotation and perception of the horizontal under static tilt conditions in patients without labyrinthine function. *Acta Otolaryngol*. 1991;111(3):456-62. doi: 10.3109/00016489109138369. PubMed PMID: 1887770.
82. Biguer B, Donaldson IM, Hein A, Jeannerod M. Neck muscle vibration modifies the representation of visual motion and direction in man. *Brain*. 1988;111 ( Pt 6):1405-24. PubMed PMID: 3208063.
83. Huygen PL, Verhagen WI, Nicolaisen MG. Cervico-ocular reflex enhancement in labyrinthine-defective and normal subjects. *Exp Brain Res*. 1991;87(2):457-64. Epub 1991/01/01. PubMed PMID: 1769396.
84. Heimbrand S, Bronstein AM, Gresty MA, Faldon ME. Optically induced plasticity of the cervico-ocular reflex in patients with bilateral absence of vestibular function. *Exp Brain Res*. 1996;112(3):372-80. Epub 1996/12/01. PubMed PMID: 9007539.
85. Bronstein AM, Hood JD. The cervico-ocular reflex in normal subjects and patients with absent vestibular function. *Brain Res*. 1986;373(1-2):399-408. Epub 1986/05/14. PubMed PMID: 3487371.
86. Campbell D, Murphy BA, Burkitt J, La Delfa N, Sanmuganathan P, Ambalavanar U, et al. Cervico-Ocular and Vestibulo-Ocular Reflexes in Subclinical Neck Pain and Healthy Individuals: A Cross-Sectional Study. *Brain Sci*. 2023;13(11). doi: 10.3390/brainsci13111603. PubMed PMID: 38002562; PubMed Central PMCID: PMC10670025.
87. de Jong PT, De Jong JV, Cohen B, Jongkees LB. Ataxia and nystagmus induced by injection of local anesthetics in the neck. *Annals of Neurology: Official Journal of the American Neurological Association and the Child Neurology Society*. 1977;1(3):240-6.
88. Alund M, Ledin T, Odkvist L, Larsson SE. Dynamic posturography among patients with common neck disorders. A study of 15 cases with suspected cervical vertigo. *J Vestib Res*. 1993;3(4):383-9. PubMed PMID: 8275272.
89. Fransson PA, Karlberg M, Sterner T, Magnusson M. Direction of galvanically-induced vestibulo-postural responses during active and passive neck torsion. *Acta Otolaryngol*. 2000;120(4):500-3. PubMed PMID: 10958401.
90. Hlavacka F, Njikiktjen C. Postural responses evoked by sinusoidal galvanic stimulation of the labyrinth. Influence of head position. *Acta Otolaryngol*. 1985;99(1-2):107-12. PubMed PMID: 3872005.
91. Lund S. Postural effects of neck muscle vibration in man. *Experientia*. 1980;36(12):1398. PubMed PMID: 7202649.
92. Wyke B. Cervical articular contribution to posture and gait: their relation to senile disequilibrium. *Age Ageing*. 1979;8(4):251-8. Epub 1979/11/01. PubMed PMID: 517320.
93. Hülse M, Hölzl M. [Vestibulospinal reactions in cervicogenic disequilibrium. Cervicogenic imbalance]. *HNO*. 2000;48(4):295-301. Epub 2000/05/16. PubMed PMID: 10810676.
94. Karlberg M, Magnusson M, Malmstrom EM, Melander A, Moritz U. Postural and symptomatic improvement after physiotherapy in patients with dizziness of suspected cervical origin. *Arch Phys Med Rehabil*. 1996;77(9):874-82. Epub 1996/09/01. doi: S0003999396001554 [pii]. PubMed PMID: 8822677.
95. Khademolhosseini Y, Pirouzi S, Ghanbari A, Arabzadeh S, Rezaei I. Head and neck extension more than 30 degrees may disturb standing balance in healthy older adults. *Geriatr Nurs*. 2020;41(4):490-5. doi: 10.1016/j.gerinurse.2020.02.002. PubMed PMID: 32145993.
96. Bove M, Courtine G, Schieppati M. Neck muscle vibration and spatial orientation during stepping in place in humans. *J Neurophysiol*. 2002;88(5):2232-41. doi: 10.1152/jn.00198.2002. PubMed PMID: 12424265.
97. Bove M, Diverio M, Pozzo T, Schieppati M. Neck muscle vibration disrupts steering of locomotion. *J Appl Physiol* (1985). 2001;91(2):581-8. PubMed PMID: 11457768.
98. Karnath HO, Reich E, Rorden C, Fetter M, Driver J. The perception of body orientation after neck-proprioceptive stimulation. Effects of time and of visual cueing. *Exp Brain Res*. 2002;143(3):350-8. Epub 2002/03/13. doi: 10.1007/s00221-001-0996-2. PubMed PMID: 11889513.
99. Reid SA, Rivett DA. Manual therapy treatment of cervicogenic dizziness: a systematic review. *Man Ther*. 2005;10(1):4-13. Epub 2005/02/01. doi: S1356689X04000384 [pii] 10.1016/j.math.2004.03.006. PubMed PMID: 15681263.
100. Lystad RP, Bell G, Bonnevie-Svendsen M, Carter CV. Manual therapy with and without vestibular rehabilitation for cervicogenic dizziness: a systematic review. *Chiropr Man Therap*. 2011;19(1):21. Epub 2011/09/20. doi: 10.1186/2045-709X-19-21 2045-709X-19-21 [pii]. PubMed PMID: 21923933; PubMed Central PMCID: 3182131.
101. De Vestel C, Vereeck L, Reid SA, Van Rompaey V, Lemmens J, De Hertogh W. Systematic review and meta-analysis of the therapeutic management of patients with cervicogenic dizziness. *J Man Manip Ther*. 2022;1-11. doi: 10.1080/10669817.2022.2033044. PubMed PMID: 35383538.
102. Wu J-S, Yang Y-C, Lu F-H, Wu C-H, Chang C-J. Population-based study on the prevalence and correlates of orthostatic hypotension/hypertension and orthostatic dizziness. *Hypertension Research*. 2008;31(5):897.
103. Tinetti ME, Williams CS, Gill TM. Dizziness among older adults: a possible geriatric syndrome. *Ann Intern Med*. 2000;132(5):337-44. Epub 2000/02/26. doi: 200003070-00002 [pii]. PubMed PMID: 10691583.
104. Iwasaki S, Smulders YE, Burgess AM, McGarvie LA, Macdougall HG, Halmagyi GM, et al. Ocular vestibular evoked myogenic potentials to bone conducted vibration of the midline forehead at Fz in healthy subjects. *Clin Neurophysiol*. 2008;119(9):2135-47. doi: 10.1016/j.clinph.2008.05.028. PubMed PMID: 18639490.
105. Salles N, Kressig RW, Michel JP. Management of chronic dizziness in elderly people. *Z Gerontol Geriatr*. 2003;36(1):10-5. Epub 2003/03/05. doi: 10.1007/s00391-003-0141-x. PubMed PMID: 12616402.

106. Bronstein AM, Lempert T. Management of the patient with chronic dizziness. *Restor Neurol Neurosci*. 2010;28(1):83-90. Epub 2010/01/21. doi: 10.3233/RNN-2010-0530N14110L7580246G1 [pii]. PubMed PMID: 20086285.
107. Im JJ, Na S, Jeong H, Chung YA. A Review of Neuroimaging Studies in Persistent Postural-Perceptual Dizziness (PPPD). *Nucl Med Mol Imaging*. 2021;55(2):53-60. doi: 10.1007/s13139-020-00675-2. PubMed PMID: 33968271; PubMed Central PMCID: PMC8053630.
108. Indovina I, Passamonti L, Mucci V, Chiarella G, Lacquaniti F, Staab JP. Brain Correlates of Persistent Postural-Perceptual Dizziness: A Review of Neuroimaging Studies. *J Clin Med*. 2021;10(18). doi: 10.3390/jcm10184274. PubMed PMID: 34575385; PubMed Central PMCID: PMC8468644.
109. Cao Z, Liu X, Ju Y, Zhao X. Neuroimaging studies in persistent postural-perceptual dizziness and related disease: a systematic review. *J Neurol*. 2022;269(3):1225-35. doi: 10.1007/s00415-021-10558-x. PubMed PMID: 34019178.
110. Staab JP. Persistent Postural-Perceptual Dizziness: Review and Update on Key Mechanisms of the Most Common Functional Neuro-otologic Disorder. *Neurol Clin*. 2023;41(4):647-64. Epub 20230601. doi: 10.1016/j.ncl.2023.04.003. PubMed PMID: 37775196.
111. Schädler S. Neue Ansätze in der Behandlung bei Persistent Postural-Perceptual Dizziness. *pt Zeitschrift für Physiotherapeuten*. 2021;73(5):30-5.